

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	2	5 and ata	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/09/06 14:55
L8	2	5 and ide	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/09/06 14:55
L7	8	5 and scsi	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/09/06 14:55
L6	12	5 and raid	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/09/06 14:50
L5	33	(US-20010042230-\$ or US-20050193232-\$ or US-20010010084-\$ or US-20040268179-\$ or US-20020073279-\$ or US-20030233611-\$).did. or (US-5615335-\$ or US-6490115-\$ or US-6539496-\$ or US-6993679-\$ or US-5574855-\$ or US-5574882-\$ or US-6223308-\$ or US-6944791-\$ or US-6332204-\$ or US-5835965-\$ or US-5854950-\$ or US-7102780-\$ or US-5596390-\$ or US-6480982-\$ or US-6959413-\$ or US-6629273-\$ or US-5581690-\$ or US-5222109-\$ or US-4479214-\$ or US-4480307-\$ or US-6950967-\$ or US-6366980-\$ or US-6034831-\$ or US-6650492-\$ or US-6496313-\$ or US-6414687-\$). did. or (NN9605259).tban.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/09/06 14:46
L2	736	714/8,764.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:21
L1	3	"6496313".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 13:21
S15 6	73	ecc with count\$3 with (date timestamp time) with writ\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:22

EAST Search History

S15 5	286	ecc with count\$3 with (date timestamp time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:22
S15 4	24	ecc near signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:21
S15 3	3	ecc and contino.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:10
S15 2	61	increment\$3 near (count\$3) with (success\$5 correct\$3 proper\$3 valid\$3) near read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:48
S15 1	101	increment\$3 near (count\$3) with (success\$5 correct\$3 proper\$3 valid\$3) near2 read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:48
S15 0	3004	(count\$3) with (success\$5 correct\$3 proper\$3 valid\$3) near2 read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:48
S14 9	410	(count\$3 log logging logged) with (valid\$3) near2 read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:47
S14 8	2609	(count\$3 log logging logged) with (success\$5 correct\$3) near2 read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:47
S14 7	61	S146 with S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:46
S14 6	1453	address near map\$4 with read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:46

EAST Search History

S14 2	48	ecc with increment\$3 near count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:45
S14 5	65	("4479214").URPN.	USPAT	OR	ON	2007/08/30 11:44
S14 4	5	("3644902" "3659088" "3897626" "4174537" "4291389").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 11:43
S14 3	2	S142 with read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:34
S14 1	68	read\$3 near2 S135 same lock\$3 with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:33
S14 0	212	read\$3 with S135 same lock\$3 with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:27
S13 8	3	read\$3 with S135 same lock\$3 with (lba logical adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:27
S13 9	3	read\$3 near2 S135 same lock\$3 with (lba logical adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:26
S13 7	2	read\$3 with S135 with lock\$3 with (lba logical adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:26
S13 6	2	read\$3 near2 S135 with lock\$3 with (lba logical adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:26
S13 5	2832155	(error erroneous corrupt\$3 fault\$2 fail\$3 defect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:25

EAST Search History

S5	16	("5,278,982" "5,764,877" "5,381,527" "5,099,485" "6,044,444" "6,237,052" "6,327,106" "6,640,317"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 11:25
S13 4	14	((lba logical adj block) and count\$3 and (time timestamp date) and read\$3 and writ\$3 and (defect\$3 corrupt\$3 fault\$2 fail\$3 error erroneous)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:31
S13 3	33	(test\$3 diagnos\$4) with count\$3 with sector with (read\$3 writ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:30
S13 2	204	(test\$3 diagnos\$4) with count\$3 with sector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:02
S13 1	48	defect near list with (time timestamp) with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:02
S13 0	0	defect near list with date with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:05
S12 9	2	"20040236985"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:05
S12 8	1	contino.xa. and "+ 1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:04
S12 7	1	contino.xa. and "+ 2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:02
S12 6	0	contino.xa. and "+2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:02

EAST Search History

S12 5	1	contino.xa. and "+1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:01
S12 4	7	contino.xa. and sector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:01
S12 3	41	S122 and count\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 15:20
S12 2	60	S121 S119 S117 S116	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 15:20
S12 1	10	("20010010085" "20030074523" "20030156471" "6094317" "6239931" "6263459" "6272085" "6332204" "6384999" "6502205").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 15:20
S12 0	1	glist and contino.xa.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 14:40
S11 8	14	count and contino.xa.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 14:40
S11 9	28	("20020091965" "4586178" "5043940" "5268870" "5602987" "5633824" "5761411" "5761732" "5828583" "5835930" "5841711" "5890192" "5963474" "6016530" "6047352" "6119074" "6141249" "6149316" "6230233" "6249838" "6249887" "6266199" "6345001" "6426893" "6446223" "6643725" "6944063" "6948026").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 14:39
S11 7	11	("4216506" "4357626" "4996679" "5111299" "5133079" "5200989" "5247126" "5286907" "5442638" "5644310" "6366980").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 14:38
S11 6	12	("3860958" "4296404" "4558380" "4578722" "5142422" "5142515" "5200959" "5265082" "5353170" "6034831" "6384999" "6496313").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 14:34

EAST Search History

S11 5	2	S112 with (lba logical adj block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 14:05
S11 2	1391	read\$3 with (fail\$3 fault corrupt\$2 fault) with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 14:04
S11 3	30	S112 same date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 14:03
S11 1	494	714/8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 14:02
S6	440	714/8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:35
S11 0	45	(write same count\$3 same (time adj stamp timestamp date)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:33
S10 5	13	714/8.ccls. and write same count\$3 same (time adj stamp timestamp date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:33
S10 9	3	S108 not S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:24
S10 8	15	714/8.ccls. and count\$3 with (time adj stamp timestamp date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:24
S10 6	1	714/8.ccls. and write adj long	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:23

EAST Search History

S10 4	0	714/8.ccls. and write with count\$3 with (time adj stamp timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:22
S10 3	0	714/8.ccls. and write with count\$3 with date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:22
S10 2	12	write with count\$3 with date same (storage memory disk) with (fault error fail\$3 corrupt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 13:21
S10 1	4	S99 S100	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:54
S10 0	3	S97 and S91	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:54
S99	1	S91 and count\$3 with writ\$3 with (timestamp\$3 time adj stamp\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:54
S98	218	count\$3 with writ\$3 with (timestamp\$3 time adj stamp\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:54
S97	294	count\$3 with writ\$3 with date	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:54
S96	3	count with write adj long	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:53
S95	1	counter with write adj long	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:45
S94	2	date with write adj long	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:45
S93	8	S91 and write adj long	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:43
S92	17	S91 and long	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:42

EAST Search History

S91	28	(US-20010010084-\$ or US-20050193232-\$ or US-20040268179-\$ or US-20010042230-\$ or US-20030233611-\$ or US-20020073279-\$).did. or (US-4480307-\$ or US-6332204-\$ or US-5222109-\$ or US-6480982-\$ or US-6490115-\$ or US-5574855-\$ or US-6223308-\$ or US-7102780-\$ or US-6944791-\$ or US-6366980-\$ or US-6539496-\$ or US-6950967-\$ or US-5581690-\$ or US-5615335-\$ or US-6993679-\$ or US-5574882-\$ or US-5835965-\$ or US-6629273-\$ or US-5854950-\$ or US-5596390-\$ or US-6959413-\$).did. or (NN9605259).tban.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/08/27 17:41
S90	6	S89 not S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:53
S89	9	lock\$3 near (lba logical adj block address) same (read\$3 near (error erroneous fault\$2 fail\$3 corrupt\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:53
S79	3	lock\$3 near (lba logical adj block) same (read\$3 near (error erroneous fault\$2 fail\$3 corrupt\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:53
S88	38	(read\$3 writ\$3) same counter near (increment\$3 decrement\$3) same (error fault\$2 fail\$3 corrupt\$3 erroneous) same ecc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:42
S87	38	(read\$3 writ\$3) same counter near (increment\$3 decrement\$3) same (error fault\$2 fail\$3 corrupt\$3 erroneous) same date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:42
S83	1380	(read\$3 writ\$3) same counter near (increment\$3 decrement\$3) same (error fault\$2 fail\$3 corrupt\$3 erroneous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:42

EAST Search History

S86	0	((read\$3 writ\$3) same counter near (increment\$3 decrement\$3) same (error fault\$2 fail\$3 corrupt\$3 erroneous) same date).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:41
S85	43	((read\$3 writ\$3) same counter near (increment\$3 decrement\$3) same (error fault\$2 fail\$3 corrupt\$3 erroneous)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:41
S84	2349529	(error fault\$2 fail\$3 corrupt\$3 erroneous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:41
S82	17	((lba logical adj block) and (read\$3 near (error erroneous fault\$2 fail\$3 corrupt\$3))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:16
S81	1	(lock\$3 near (lba logical adj block) same reassign\$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:15
S80	2	(lock\$3 near (lba logical adj block) and (read\$3 near (error erroneous fault\$2 fail\$3 corrupt\$3))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:15
S78	2	lock\$3 near (lba logical adj block) with (read\$3 near (error erroneous fault\$2 fail\$3 corrupt\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:14
S77	15	("4775978" "5088081" "5210860" "5500940" "5504858" "5546535" "5572661" "5581690" "5615335" "5615352" "5632012" "5655150" "5664187" "5961652" "6223301").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/09 17:11
S76	0	("6959413").URPN.	USPAT	OR	ON	2007/08/09 12:36
S75	13	("20010008008" "20020073279" "20030233611" "5504858" "5574855" "5581690" "5826001" "5913927" "5933592" "6161192" "6349359" "6629273" "6665773").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/09 12:36

EAST Search History

S74	13	("20010008008" "20020073279" "20030233611" "5504858" "5574855" "5581690" "5826001" "5913927" "5933592" "6161192" "6349359" "6629273" "6665773").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/09 12:17
S72	5	invalid near ecc same writ\$3 same read\$3 same (error fault\$2 fail\$3 erroneous corrupt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:03